

DTS

PROTECT



Scan me


PROFESSIONAL
PERSONAL
PROTECTION &
WORKWEAR



FOOD & BEVERAGE
PROCESSING



AUTOMOTIVE &
INDUSTRIAL



CONSTRUCTION



RAIL & AVIATION



www.dtsprotect.com



info@dtstrading.com



43-45 St John's Street, London EC1M 4LX



Using correct and quality personal protection equipment and workwear leads to an average increase of:



*Human Factors and Ergonomics in Manufacturing 18(2):152 - 179.
T. Maudgalya, A. Genaidy, R. Shell, March 2008

The UK market has some of the strictest regulations and standards regarding workplace safety and personal protection in Europe. When workers feel safe and protected, they are more likely to perform their tasks efficiently and with confidence.

The DTS Protect™ is to improve your productivity through our product quality and service offering, in turn contributing to the overall success of your business.

FOCUS UK SECTORS


The DTS Protect™ product portfolio enhances safety, comfort, and overall functionality. This enables businesses to focus on what they do best and employees to execute their work without unnecessary distractions or concerns about their safety.



**FOOD & BEVERAGE
PROCESSING**



**AUTOMOTIVE &
INDUSTRIAL**



CONSTRUCTION



RAIL & AVIATION



DISPOSABLE GLOVES



COVERALLS



HEARING PROTECTION




WORKWEAR



RESPIRATORY PROTECTION



DISPOSABLES



DTS PROTECT™ | DTS DEFEND™ | DTS CRAB™

NITRILE GLOVES

5



DTS PROTECT™

VINYL GLOVES

18



DTS PROTECT™

COVERALLS

20



DTS PROTECT™

HEARING PROTECTION

26



DTS PROTECT™

RESPIRATOR PROTECTION

29



DTS PROTECT™

WORKWEAR

31



DTS PROTECT™

DISPOSABLES

34



DTS PROTECT™
GLOVES



BLUE NITRILE GLOVES

Blue Nitrile Gloves offer an exceptional level of protection and hygiene. As tradition holds most medical and food production facilities use a blue shade of Nitrile gloves as this colour helps to recognize glove failure and easily identify if a part of the glove got into the food.



TEXTURED FINGERPRINT



ENHANCED GRIP



TESTED AGAINST SKIN IRRITATION



LATEX & POWDER FREE




AMBIDEXTRIOUS



EN 1186: FOOD MIGRATION



SINGLE USE



Spec \ Size	X-small	Small	Medium	Large	X-large	Tolerance
Total Length (mm)	240	240	240	240	240	min
Width of palm (mm)	75	85	96	107	118	±5
Thickness: Finger (mm) ①	0.11	0.11	0.11	0.11	0.11	±0.02
Thickness: Palm (mm) ②	0.06	0.06	0.06	0.06	0.06	±0.02
Thickness: Wrist (mm) ③	0.05	0.05	0.05	0.05	0.05	±0.02
Weight per piece (gram)	2.6	3	3.5	3.9	4.3	±0.03
Tensile-strength (≥) min	14Mpa	14Mpa	14Mpa	14Mpa	14Mpa	min
Elongation (%) min	Before aging	500	500	500	500	min
	After aging	400	400	400	400	min



Sizes:

XS | S | M | L | XL

SKUs:

EXTRA SMALL: 7301XS
 SMALL: 7301S
 MEDIUM: 7301M
 LARGE: 7301L
 EXTRA LARGE: 7301XL

Colour: Blue | Expiry: Five Years



BLACK NITRILE GLOVES

Black nitrile gloves are commonly used in a variety of industries and settings where hand protection is needed, such as automotive industry, tattoo and beauty, food services, laboratories etc. The colour black is often chosen for its sleek appearance and ability to hide stains, making it a popular choice for applications where aesthetics and cleanliness are important.



TEXTURED FINGERPRINT



ENHANCED GRIP



TESTED AGAINST SKIN IRRITATION



LATEX & POWDER FREE




AMBIDEXTROUS



EN 1186: FOOD MIGRATION



SINGLE USE



Spec \ Size		X-small	Small	Medium	Large	X-large	Tolerance
Total Length (mm)		240	240	240	240	240	min
Width of palm (mm)		75	85	95	105	115	±5
Thickness: Finger (mm)	①	0.12	0.12	0.12	0.12	0.12	±0.02
Thickness: Palm (mm)	②	0.08	0.08	0.08	0.08	0.08	±0.02
Thickness: Wrist (mm)	③	0.06	0.06	0.06	0.06	0.06	±0.02
Weight per piece (gram)		3.4	3.7	4.2	4.6	5	±0.03
Tensile-strength (≥) min		14Mpa	14Mpa	14Mpa	14Mpa	14Mpa	min
Elongation (%) min	Before aging	500	500	500	500	500	min
	After aging	400	400	400	400	400	min

Sizes:

XS | S | M | L | XL

SKUs:

- EXTRA SMALL: 7302XS
- SMALL: 7302S
- MEDIUM: 7302M
- LARGE: 7302L
- EXTRA LARGE: 7302XL



Colour: Black | Expiry: Five Years



YELLOW NITRILE GLOVES



Yellow nitrile gloves are commonly used in various industries and settings where hand protection is required. The colour yellow is often chosen for high visibility and easy identification.

NEW

TEXTURED FINGERPRINT

ENHANCED GRIP


TESTED AGAINST SKIN IRRITATION

LATEX & POWDER FREE

AMBIDEXTROUS

EN 1186: FOOD MIGRATION

SINGLE USE



Spec \ Size		X-small	Small	Medium	Large	X-large	Tolerance
Total Length (mm)		240	240	240	240	240	min
Width of palm (mm)		76	85	96	107	118	±5
Thickness: Finger (mm)	①	0.11	0.11	0.11	0.11	0.11	±0.02
Thickness: Palm (mm)	②	0.06	0.06	0.06	0.06	0.06	±0.02
Thickness: Wrist (mm)	③	0.05	0.05	0.05	0.05	0.05	±0.02
Weight per piece (gram)		2.9	3.2	3.5	3.8	4.2	±0.03
Tensile-strength (≥) min		14Mpa	14Mpa	14Mpa	14Mpa	14Mpa	min
Elongation (%) min	Before aging	500	500	500	500	500	min
	After aging	400	400	400	400	400	min

Sizes:

XS | S | M | L | XL

SKUs:

- EXTRA SMALL: 7305XS
- SMALL: 7305S
- MEDIUM: 7305M
- LARGE: 7305L
- EXTRA LARGE: 7305XL



Colour: Yellow | Expiry: Five Years

AQL 1.5

CAT III PPE (EU) 2016/425

REGULATION 2017/745

EN ISO 374-1:2016/type B

VIRUS

GREEN NITRILE GLOVES



Green nitrile gloves are commonly used in various industries and settings where hand protection is required. The colour green is often chosen for high visibility and easy identification.

NEW



TEXTURED FINGERPRINT



ENHANCED GRIP



TESTED AGAINST SKIN IRRITATION



LATEX & POWDER FREE




AMBIDEXTROUS



EN 1186: FOOD MIGRATION



SINGLE USE



Spec \ Size	X-small	Small	Medium	Large	X-large	Tolerance
Total Length (mm)	240	240	240	240	240	min
Width of palm (mm)	76	85	96	107	118	±5
Thickness: Finger (mm)	① 0.11	0.11	0.11	0.11	0.11	±0.02
Thickness: Palm (mm)	② 0.06	0.06	0.06	0.06	0.06	±0.02
Thickness: Wrist (mm)	③ 0.05	0.05	0.05	0.05	0.05	±0.02
Weight per piece (gram)	2.6	3.2	3.5	3.8	4.2	±0.03
Tensile-strength (≥) min	14Mpa	14Mpa	14Mpa	14Mpa	14Mpa	min
Elongation (%) min	Before aging	500	500	500	500	min
	After aging	400	400	400	400	min

Sizes:

XS | S | M | L | XL

SKUs:

EXTRA SMALL: 7307XS
 SMALL: 7307S
 MEDIUM: 7307M
 LARGE: 7307L
 EXTRA LARGE: 7307XL



Colour: Green | Expiry: Five Years

RED NITRILE GLOVES



Red nitrile gloves are commonly used in various industries and settings where hand protection is required. The colour red is often chosen for high visibility and easy identification.

NEW



TEXTURED FINGERPRINT



ENHANCED GRIP



TESTED AGAINST SKIN IRRITATION



LATEX & POWDER FREE




AMBIDEXTRIOUS



EN 1186: FOOD MIGRATION



SINGLE USE



Spec \ Size	X-small	Small	Medium	Large	X-large	Tolerance
Total Length (mm)	240	240	240	240	240	min
Width of palm (mm)	76	85	96	107	118	±5
Thickness: Finger (mm) ①	0.11	0.11	0.11	0.11	0.11	±0.02
Thickness: Palm (mm) ②	0.06	0.06	0.06	0.06	0.06	±0.02
Thickness: Wrist (mm) ③	0.05	0.05	0.05	0.05	0.05	±0.02
Weight per piece (gram)	2.9	3.2	3.5	3.8	4.2	±0.03
Tensile-strength (≥) min	14Mpa	14Mpa	14Mpa	14Mpa	14Mpa	min
Elongation (%) min	Before aging	500	500	500	500	min
	After aging	400	400	400	400	min

Sizes:

XS | S | M | L | XL

SKUs:

EXTRA SMALL: 7306XS
 SMALL: 7306S
 MEDIUM: 7306M
 LARGE: 7306L
 EXTRA LARGE: 7306XL



Colour: Red | Expiry: Five Years





PINK NITRILE GLOVES

Pink nitrile gloves are commonly used in various industries and settings where hand protection is required. The colour pink is often chosen for high visibility and easy identification.

NEW

TEXTURED FINGERPRINT

ENHANCED GRIP


TESTED AGAINST SKIN IRRITATION

LATEX & POWDER FREE

AMBIDEXTROUS

EN 1186: FOOD MIGRATION

SINGLE USE



Spec \ Size	X-small	Small	Medium	Large	X-large	Tolerance
Total Length (mm)	240	240	240	240	240	min
Width of palm (mm)	75	85	96	107	118	±5
Thickness: Finger (mm) ①	0.11	0.11	0.11	0.11	0.11	±0.02
Thickness: Palm (mm) ②	0.06	0.06	0.06	0.06	0.06	±0.02
Thickness: Wrist (mm) ③	0.05	0.05	0.05	0.05	0.05	±0.02
Weight per piece (gram)	2.6	3	3.5	3.9	4.3	±0.03
Tensile-strength (≥) min	14Mpa	14Mpa	14Mpa	14Mpa	14Mpa	min
Elongation (%) min	Before aging	500	500	500	500	min
	After aging	400	400	400	400	min

Sizes:

XS | S | M | L | XL

SKUs:

- EXTRA SMALL: 7311XS
- SMALL: 7311S
- MEDIUM: 7311M
- LARGE: 7311L
- EXTRA LARGE: 7311XL



Colour: Pink | Expiry: Five Years

AQL 1.5

CAT III PPE (EU) 2016/425

REGULATION 2017/745

WHITE NITRILE GLOVES



White nitrile gloves are commonly used in various industries and settings where hand protection is required. The colour white is often chosen for high visibility and easy identification.

NEW



TEXTURED FINGERPRINT



ENHANCED GRIP



TESTED AGAINST SKIN IRRITATION



LATEX & POWDER FREE




AMBIDEXTROUS



EN 1186: FOOD MIGRATION



SINGLE USE



Spec \ Size	X-small	Small	Medium	Large	X-large	Tolerance
Total Length (mm)	240	240	240	240	240	min
Width of palm (mm)	75	85	96	107	118	±5
Thickness: Finger (mm) ①	0.11	0.11	0.11	0.11	0.11	±0.02
Thickness: Palm (mm) ②	0.06	0.06	0.06	0.06	0.06	±0.02
Thickness: Wrist (mm) ③	0.05	0.05	0.05	0.05	0.05	±0.02
Weight per piece (gram)	2.6	3	3.5	3.9	4.3	±0.03
Tensile-strength (≥) min	14Mpa	14Mpa	14Mpa	14Mpa	14Mpa	min
Elongation (%) min	Before aging	500	500	500	500	min
	After aging	400	400	400	400	min

Sizes:

XS | S | M | L | XL

SKUs:

EXTRA SMALL: 7300XS
 SMALL: 7300S
 MEDIUM: 7300M
 LARGE: 7300L
 EXTRA LARGE: 7300XL



Colour: White | Expiry: Five Years





ICE BLUE NITRILE GLOVES

Ice Blue Nitrile Gloves offer an exceptional level of protection and hygiene. As tradition holds, most medical and food production facilities use an ice blue shade of Nitrile gloves, as this colour helps to recognize glove failure and easily identify if a part of the glove got into the food.

NEW

TEXTURED FINGERPRINT

ENHANCED GRIP


TESTED AGAINST SKIN IRRITATION

LATEX & POWDER FREE

AMBIDEXTROUS

EN 1186: FOOD MIGRATION

SINGLE USE



Spec \ Size	X-small	Small	Medium	Large	X-large	Tolerance
Total Length (mm)	240	240	240	240	240	min
Width of palm (mm)	75	85	96	107	118	±5
Thickness: Finger (mm) ①	0.11	0.11	0.11	0.11	0.11	±0.02
Thickness: Palm (mm) ②	0.06	0.06	0.06	0.06	0.06	±0.02
Thickness: Wrist (mm) ③	0.05	0.05	0.05	0.05	0.05	±0.02
Weight per piece (gram)	2.6	3	3.5	3.9	4.3	±0.03
Tensile-strength (≥) min	14Mpa	14Mpa	14Mpa	14Mpa	14Mpa	min
Elongation (%) min	Before aging	500	500	500	500	min
	After aging	400	400	400	400	min



Sizes:

XS | S | M | L | XL

SKUs:

- EXTRA SMALL: 7304XS
- SMALL: 7304S
- MEDIUM: 7304M
- LARGE: 7304L
- EXTRA LARGE: 7304XL

Colour: Ice Blue | Expiry: Five Years

CAT III PPE (EU) 2016/425

REGULATION 2017/745

12" NITRILE GLOVES

12" DTS Protect Nitrile Gloves have extended cuff for an exceptional level of protection and hygiene.



EXTENDED CUFF

HEAVY DUTY

TEXTURED FINGERPRINT


ENHANCE GRIP

LATEX & POWDER FREE

AMBIDEXTROUS

EN 1186: FOOD MIGRATION

SINGLE USE



Spec \ Size	X-small	Small	Medium	Large	X-large	Tolerance
Total Length (mm)	300	300	300	300	300	min.290
Width of palm (mm)	75	85	95	105	115	±5
Thickness: Finger (mm) ①	0.16	0.16	0.16	0.16	0.16	±0.02
Thickness: Palm (mm) ②	0.10	0.10	0.10	0.10	0.10	±0.02
Thickness: Wrist (mm) ③	0.08	0.08	0.08	0.08	0.08	±0.02
Weight per piece (gram)	6.0	6.5	7	7.4	7.8	±0.03
Tensile-strength (≥) min	14Mpa	14Mpa	14Mpa	14Mpa	14Mpa	min
Elongation (%) min	Before aging	500	500	500	500	min
	After aging	400	400	400	400	min

Sizes:

XS | S | M | L | XL

SKUs:

EXTRA SMALL: 7303XS
 SMALL: 7303S
 MEDIUM: 7303M
 LARGE: 7303L
 EXTRA LARGE: 7303XL



Colour: Blue | Expiry: Five Years



STRONG BLACK NITRILE GLOVES

Thicker and stronger black nitrile gloves for superior durability and enhance grip.

NEW



SUPER STRONG & THICK



TEXTURED FINGERPRINT



ENHANCE GRIP



LATEX & POWDER FREE




AMBIDEXTROUS



EN 1186: FOOD MIGRATION



SINGLE USE



Spec \ Size	X-small	Small	Medium	Large	X-large	Tolerance
Total Length (mm)	240	240	240	240	240	min.240
Width of palm (mm)	75	85	95	105	115	±5
Thickness: Finger (mm) ①	0.16	0.16	0.16	0.16	0.16	±0.02
Thickness: Palm (mm) ②	0.12	0.12	0.12	0.12	0.12	±0.02
Thickness: Wrist (mm) ③	0.08	0.08	0.08	0.08	0.08	±0.02
Weight per piece (gram)	5.3	5.6	6.0	6.4	6.8	±0.03
Tensile-strength (≥) min	6N	6N	6N	6N	6N	min
Elongation (%) min	Before aging	500	500	500	500	min
	After aging	400	400	400	400	min

Sizes:

XS | S | M | L | XL

SKUs:

EXTRA SMALL: 7309XS
SMALL: 7309S
MEDIUM: 7309M
LARGE: 7309L
EXTRA LARGE: 7309XL



Colour: Black | Expiry: Five Years



STRONG BLUE NITRILE GLOVES

Thicker and stronger blue nitrile gloves for superior durability and enhance grip.

NEW



SUPER STRONG & THICK



TEXTURED FINGERPRINT



ENHANCE GRIP



LATEX & POWDER FREE




AMBIDEXTROUS



EN 1186: FOOD MIGRATION



SINGLE USE



Spec \ Size	X-small	Small	Medium	Large	X-large	Tolerance
Total Length (mm)	240	240	240	240	240	min.240
Width of palm (mm)	75	85	95	105	115	±5
Thickness: Finger (mm) ①	0.15	0.15	0.15	0.15	0.15	±0.02
Thickness: Palm (mm) ②	0.11	0.11	0.11	0.11	0.11	±0.02
Thickness: Wrist (mm) ③	0.08	0.08	0.08	0.08	0.08	±0.02
Weight per piece (gram)	4.8	5.1	5.5	5.9	6.3	±0.03
Tensile-strength (≥) min	6N	6N	6N	6N	6N	min
Elongation (%) min	Before aging	500	500	500	500	min
	After aging	400	400	400	400	min

Sizes:

XS | S | M | L | XL

SKUs:

EXTRA SMALL: 7308XS

SMALL: 7308S

MEDIUM: 7308M

LARGE: 7308L

EXTRA LARGE: 7308XL



Colour: Blue | Expiry: Five Years



REGULATION 2017/745



EN ISO 374-1:2016/type B



VIRUS





GRIP DIAMOND GLOVES

Thicker and stronger orange nitrile gloves for superior durability and enhance grip. These gloves are characterized by textured patterns on the surface for enhanced grip, and are commonly used in various industries and applications where secure handling and grip are important. The textured surface helps prevent slips and ensures better control when handling objects.

NEW



EXTRA SLIP PROTECTION



DIAMOND GRIP PATTERN



EXTRA THICK



POWDER FREE



CHEMICALS RESISTANT
(EN 374-1/2/4/5)



TOUCH SCREEN COMPATIBLE



NITRILE GLOVES




AMBIDEXTROUS



EN 1186: FOOD MIGRATION



SINGLE USE



Spec \ Size	Small	Medium	Large	X-large	Tolerance
Total Length (mm)	230	230	230	230	min.240
Width of palm (mm)	85	95	105	115	±5
Thickness: Finger (mm) ①	0.22	0.22	0.22	0.22	±0.02
Thickness: Palm (mm) ②	0.18	0.18	0.18	0.18	±0.02
Thickness: Wrist (mm) ③	0.12	0.12	0.12	0.12	±0.02
Weight per piece (gram)	8	8.5	9	9.5	±0.03
Tensile-strength (≥) min	14Mpa	14Mpa	14Mpa	14Mpa	min
Elongation (%) min	Before aging	500	500	500	500
	After aging	400	400	400	400



Sizes:

S | M | L | XL

SKUs:

SMALL: 7310OS

MEDIUM: 7310OM

LARGE: 7310OL

EXTRA LARGE: 7310OXL

Colour: Orange | Expiry: Five Years | 50 gloves / box



CAT III
PPE
(EU) 2016/425



EN ISO 374-1:2016/type B



EN374-2



EN ISO 374-5



UK
CA0321

JKOPT

GRIP DIAMOND GLOVES (100 gloves x box)



Thicker and stronger orange nitrile gloves for superior durability and enhance grip. These gloves are characterized by textured patterns on the surface for enhanced grip, and are commonly used in various industries and applications where secure handling and grip are important. The textured surface helps prevent slips and ensures better control when handling objects.

NEW



EXTRA SLIP PROTECTION



DIAMOND GRIP PATTERN



EXTRA THICK



POWDER FREE



CHEMICALS RESISTANT
(EN 374-1/2/4/5)



TOUCH SCREEN COMPATIBLE



NITRILE GLOVES




AMBIDEXTROUS



EN 1186: FOOD MIGRATION



SINGLE USE



Spec \ Size	Small	Medium	Large	X-large	Tolerance
Total Length (mm)	230	230	230	230	min.240
Width of palm (mm)	85	95	105	115	±5
Thickness: Finger (mm) ①	0.22	0.22	0.22	0.22	±0.02
Thickness: Palm (mm) ②	0.18	0.18	0.18	0.18	±0.02
Thickness: Wrist (mm) ③	0.12	0.12	0.12	0.12	±0.02
Weight per piece (gram)	8	8.5	9	9.5	±0.03
Tensile-strength (≥) min	14Mpa	14Mpa	14Mpa	14Mpa	min
Elongation (%) min	Before aging	500	500	500	500
	After aging	400	400	400	400



Sizes:

S | M | L | XL

SKUs:

SMALL: 7313OS

MEDIUM: 7313OM

LARGE: 7313OL

EXTRA LARGE: 7313OXL

Colour: Orange | Expiry: Five Years | 100 gloves / box



CAT III
PPE
(EU) 2016/425



EN ISO 374-1:2016 type B



EN374-2



EN ISO 374-5



JKOPT



GRIP DIAMOND GLOVES

Thicker and stronger blue nitrile gloves for superior durability and enhance grip. From heavy-duty industrial work to intricate medical procedures, the DTS Crab Blue Nitrile Gloves deliver unparalleled durability and reliability, ensuring that they're up to the challenge every time.

NEW



EXTRA SLIP PROTECTION



DIAMOND GRIP PATTERN



EXTRA THICK



POWDER FREE



CHEMICALS RESISTANT (EN 374-1/2/4/5)



TOUCH SCREEN COMPATIBLE



NITRILE GLOVES




AMBIDEXTROUS



EN 1186: FOOD MIGRATION



SINGLE USE



Spec \ Size	Small	Medium	Large	X-large	Tolerance
Total Length (mm)	230	230	230	230	min.240
Width of palm (mm)	85	95	105	115	±5
Thickness: Finger (mm) ①	0.22	0.22	0.22	0.22	±0.02
Thickness: Palm (mm) ②	0.18	0.18	0.18	0.18	±0.02
Thickness: Wrist (mm) ③	0.12	0.12	0.12	0.12	±0.02
Weight per piece (gram)	8	8.5	9	9.5	±0.03
Tensile-strength (≥) min	14Mpa	14Mpa	14Mpa	14Mpa	min
Elongation (%) min	Before aging	500	500	500	500
	After aging	400	400	400	400



Sizes:

S | M | L | XL

SKUs:

SMALL: 7310BS
 MEDIUM: 7310BM
 LARGE: 7310BL
 EXTRA LARGE: 7310BXL


Colour: Blue | Expiry: Five Years | 50 gloves / box



12'' GRIP DIAMOND GLOVES

Strong nitrile gloves with extended 12'' cuff for superior durability and enhance grip. These gloves are not only shields your hands but also provides unmatched grip and durability, all while boasting an extended cuff for added protection. With an extended cuff design, these gloves offer enhanced coverage, safeguarding not just your hands but also your wrists and lower arms.

NEW



Spec \ Size	Small	Medium	Large	X-large	2XL	Tolerance
Total Length (mm)	≥290	≥290	≥290	≥290	≥290	min.240
Width of palm (mm)	83	94	106	117	126	±5
Thickness: Finger (mm)	① 0.26	0.26	0.26	0.26	0.26	±0.02
Thickness: Palm (mm)	② 0.23	0.23	0.23	0.23	0.23	±0.02
Thickness: Wrist (mm)	③ 0.10	0.10	0.10	0.10	0.10	±0.02
Weight per piece (gram)	9.2	10	11.2	12	12.8	±0.06
Tensile-strength (≥) min	14Mpa	14Mpa	14Mpa	14Mpa	14Mpa	min
Elongation (%) min	Before aging	500	500	500	500	500
	After aging	400	400	400	400	400



Sizes:

S | M | L | XL | XXL

SKUs:

SMALL: 7312BS

MEDIUM: 7312BM

LARGE: 7312BL

EXTRA LARGE: 7312BXL

XXL: 7312BXXL

Colour: Blue | Expiry: Five Years | 100 gloves / box



UK CA0321



BLUE VINYL GLOVES

Blue Vinyl Gloves offer a cost-effective alternative to latex and nitrile, and are heavily used in industries where frequent glove change is needed.



TEXTURED FINGERPRINT



ENHANCE GRIP



TESTED AGAINST SKIN IRRITATION



LATEX & POWDER FREE




AMBIDEXTROUS



EN 1186: FOOD MIGRATION



SINGLE USE



Spec \ Size	Small	Medium	Large	X-large	Tolerance
Total Length (mm)	240	240	240	240	min.
Width of palm (mm)	85	95	105	115	±5
Thickness: Finger (mm) ①	0.08	0.08	0.08	0.08	±0.02
Thickness: Palm (mm) ②	0.07	0.07	0.07	0.07	±0.02
Thickness: Wrist (mm) ③	0.04	0.04	0.04	0.04	±0.02
Weight per piece (gram)	4	4.5	5	5.5	±0.03
Tensile-strength (≥) min	3.6 N	3.6 N	3.6 N	3.6 N	min
Elongation (%) min	300	300	300	300	min

Sizes:


S | M | L | XL

SKUs:

SMALL: 7321S
MEDIUM: 7321M
LARGE: 7321L
EXTRA LARGE: 7321XL



Colour: Blue | Expiry: Five Years





CLEAR VINYL GLOVES

Clear Vinyl Gloves offer a cost-effective alternative to latex and nitrile, and are heavily used in industries where frequent glove change is needed.



TEXTURED FINGERPRINT



ENHANCE GRIP



TESTED AGAINST SKIN IRRITATION



LATEX & POWDER FREE




AMBIDEXTROUS



EN 1186: FOOD MIGRATION



SINGLE USE



Spec \ Size	Small	Medium	Large	X-large	Tolerance
Total Length (mm)	240	240	240	240	min.
Width of palm (mm)	85	95	105	115	±5
Thickness: Finger (mm) ①	0.08	0.08	0.08	0.08	±0.02
Thickness: Palm (mm) ②	0.07	0.07	0.07	0.07	±0.02
Thickness: Wrist (mm) ③	0.04	0.04	0.04	0.04	±0.02
Weight per piece (gram)	4	4.5	5	5.5	±0.03
Tensile-strength (≥) min	3.6 N	3.6 N	3.6 N	3.6 N	min
Elongation (%) min	300	300	300	300	min

Sizes:

S | M | L | XL

SKUs:

SMALL: 7322S

MEDIUM: 7322M

LARGE: 7322L

EXTRA LARGE: 7322XL



Colour: Clear | Expiry: Five Years



CAT III PPE (EU) 2016/425



REGULATION 2017/745



EN ISO 21420

EN ISO 374-1:2016/type B



KPT

EN374-2



EN ISO 374-5



VIRUS



EN 1186



EN 455 1/2/3/4



DTS PROTECT™
COVERALLS

CHEMICAL PROTECTION COVERALL TYPE 3/4/5/6



DTS Protect™ coveralls protection against many concentrated inorganic chemicals and biological hazards.

- Protection against pressurised liquid chemicals | Norm: EN 14605 | Type 3
- Protection against liquid aerosols | Norm: EN 14605 | Type 4
- Biological protection | Norm: EN 14126 | Type 4B
- Protection against airborne solid particulate chemicals | Norm: EN ISO 13982-1 | Type 5
- Limited protection against liquid mist | Norm: EN 13034 | Type 6
- Electrostatic discharge if properly grounded | Norm: EN 1149-5: 2008
- Protection against particulate radioactive contamination | Norm: EN 1073-2

NEW



EN 14126:2003



EN 14605:2005+A1:2009
TYPE 3B



EN 14605:2005+A1:2009
TYPE 4B



EN ISO 13982-1:2004+A1:2010
TYPE 5B



EN 13034:2005+A1:2009
TYPE 6B



EN 1073-2:2002



EN 1149-5:2018

General features:

- breathable, lightweight and flexible material for exceptional wearer comfort
- particle-tight and spray-light
- free of paint wetting impairment and silicone

Protection features:

- yellow taped seams for optimal protection and good visibility
- self-adhesive zipper flap for optimal protection
- anti-static properties
- protection against infectious diseases

Comfort features:

- skin-friendly nonwoven material inside
- elasticated waistband for optimal fit
- secure and convenient closures thanks to elasticated bands on hood, arms and legs
- two-way zipper
- thumb loop for enhanced fit

Special Additional Products Specs:

- re-sealable Chin Cover
- 2-layer Adhesive Flap
- inner Sewn Elasticated Waist, Wrists and Ankles.
- reinforced Elbows, Sleeves and Knees (Two Layers of Protection)

SKUs:

SMALL: 7102YS	2 XL: 7102Y2XL
MEDIUM: 7102YM	3 XL: 7102Y3XL
LARGE: 7102YL	4 XL: 7102Y4XL
EXTRA LARGE: 7102XL	



Elasticated thumb loop for optimized fit.



Elasticated waistband for a customized fit.



Double-sided adhesive tape for protection over zipper.



CHEMICAL PROTECTION
TYPE 3/4/5/6




BREATHABLE



LIGHT-WEIGHT



COMFORTABLE TO WEAR



TWO-WAY ZIPPER



PERFECT FIT & PERFORMANCE



ELASTICATED WAIST & THUMB LOOP



HIGH QUALITY MATERIALS

TAPED SEAM CHEMICAL PROTECTION COVERALL TYPE 4B/5B/6B




DTS Protect™ TAPED SEAM CHEMICAL PROTECTION coveralls protection against many concentrated inorganic chemicals and biological hazards and limited flame protection.

- Type 4B – Biological protection (Norm: EN 14126)
- Type 5 – Protection against airborne solid particulate chemicals (Norm: EN ISO 13982-1)
- Type 6 – Limited protection against liquid mist (Norm: EN 13034)
- Electrostatic discharge if properly grounded (Norm: EN 1149-5: 2008)
- Protection against particulate radioactive contamination (EN 1073-2)

NEW



EN 14126:2003



EN ISO 13982-1:2004+A1:2010
TYPE 5B



EN 13034:2005+A1:2009
TYPE 6B



EN 1073-2:2002



EN 1149-5:2018

General features:

- breathable, lightweight and flexible material for exceptional wearer comfort
- particle-tight and spray-light
- free of paint wetting impairment and silicone

Protection features:

- blue taped seams for optimal protection and good visibility
- self-adhesive zipper flap for optimal protection
- anti-static properties
- protection against infectious diseases

Comfort features:

- skin-friendly nonwoven material inside
- elasticated waistband for optimal fit
- secure and convenient closures thanks to elasticated bands on hood, arms and legs
- two-way zipper
- thumb loop for enhanced fit
- inner sewn elasticated waist, wrist, hood and ankles

SKUs:

S: 7104WS	2XL: 7104W2XL
M: 7104WM	3 XL: 7104W3XL
L: 7104WL	4XL: 7104W4XL
XL: 7104WXL	5 XL: 7104W5XL



Elasticated thumb loop for optimised fit



Elasticated waistband for customized fit



Stitched and taped with elasticated wristband



BIOLOGICAL PROTECTION TYPE 4B



CHEMICAL PROTECTION TYPE 5/6



BREATHABLE



LIGHT-WEIGHT



COMFORTABLE TO WEAR



PERFECT FIT & PERFORMANCE



ELASTICATED WAISTBAND & THUMB LOOP



HIGH QUALITY MATERIALS

FLAME RETARDANT COVERALL TYPE 5/6

DTS Protect™ FLAME RETARDANT coveralls protection against many concentrated inorganic chemicals and biological hazards and limited flame protection.

ISO 14116:2015 Protective clothing — Protection against flame — Limited flame spread materials, material assemblies and clothing.
 Type 5 – Protection against airborne solid particulate chemicals (Norm: EN ISO 13982-1)
 Type 6 – Limited protection against liquid mist (Norm: EN 13034)
 EN 13688:2013 Protective clothing - General requirements
 Electrostatic discharge if properly grounded (Norm: EN 1149-5: 2008)



NEW



EN ISO 14116:2015: Protective clothing - Protection against flame - Limited flame spread materials, material assemblies and clothing



EN ISO 13982-1:2004+A1:2010 TYPE 5B



EN 13034:2005+A1:2009 TYPE 6B



EN ISO 13688:2013+A1:2021



EN 1149-5:2018

General features:

- breathable, lightweight and flexible material for exceptional wearer comfort
- particle-tight and spray-light
- free of paint wetting impairment and silicone

Protection features:

- self-adhesive zipper flap for optimal protection
- anti-static properties
- protection against infectious diseases
- protection against flame - limited flame spread materials, materials assemblies and clothing

Comfort features:

- skin-friendly nonwoven material inside
- elasticated waistband for optimal fit
- secure and convenient closures thanks to elasticated bands on hood, arms and legs
- thumb loop for enhanced fit
- inner sewn elasticated waist, wrist, hood and ankles



Self-adhesive zipper flap for optimal protection.



Elasticated waistband for customized fit.



Elasticated hood.

SKUs:

S: 7103BS	2XL: 7103B2XL
M: 7103BM	3 XL: 7103B3XL
L: 7103BL	4XL: 7103B4XL
XL: 7103BXL	5 XL: 7103B5XL



FLAME RETARDANT



CHEMICAL PROTECTION TYPE 5/6



BREATHABLE



LIGHT-WEIGHT



COMFORTABLE TO WEAR



PERFECT FIT & PERFORMANCE



ELASTICATED WAIST & THUMB LOOP



HIGH QUALITY MATERIALS

CHEMICAL PROTECTION COVERALL TYPE 5/6



DTS Protect™ coveralls protection against many concentrated inorganic chemicals and biological hazards.

Type 5 – Protection against airborne solid particulate chemicals (Norm: EN ISO 13982-1)

Type 6 – Limited protection against liquid mist (Norm: EN 13034)

Electrostatic discharge if properly grounded (Norm: EN 1149-5: 2008)

Protection against particulate radioactive contamination (EN 1073-2)



EN 14126:2003



EN ISO 13982-1:2004+A1:2010
TYPE 5B



EN 13034:2005+A1:2009
TYPE 6B



EN 1073-2:2002



EN 1149-5:2018

General features:

- breathable, lightweight and flexible material for exceptional wearer comfort
- particle-tight and spray-light
- free of paint wetting impairment and silicone

Protection features:

- self-adhesive zipper flap for optimal protection
- anti-static properties
- protection against infectious diseases

Comfort features:

- skin-friendly nonwoven material inside
- elasticated waistband for optimal fit
- secure and convenient closures thanks to elasticated bands on hood, arms and legs
- thumb loop for enhanced fit



Elasticated thumb loop for optimized fit.



Elasticated waistband for customized fit.



Extra layer protecting zipper.

SKUs:

COLOUR: WHITE

- SMALL: 7101WS
- MEDIUM: 7101WM
- LARGE: 7101WL
- EXTRA LARGE: 7101WL
- 2XL: 7101W2XL
- 3 XL: 7101W3XL
- 4XL: 7101W4XL
- 5 XL: 7101W5XL

COLOUR: ORANGE

- SMALL: 7101OS
- MEDIUM: 7101OM
- LARGE: 7101OL
- EXTRA LARGE: 7101OL
- 2XL: 7101O2XL
- 3 XL: 7101O3XL
- 4XL: 7101O4XL
- 5 XL: 7101O5XL



CHEMICAL PROTECTION
TYPE 5/6



BREATHABLE



LIGHT-WEIGHT



COMFORTABLE TO WEAR



PERFECT FIT & PERFORMANCE



ELASTICATED WAIST & THUMB LOOP



HIGH QUALITY MATERIALS



PP COVERALLS

DTS Protect™ PP coveralls are protective clothing garments made from polypropylene fabric.

Polypropylene is a synthetic thermoplastic polymer that is lightweight, durable, and resistant to moisture. PP coveralls are commonly used in various industries and settings to provide protection against contaminants, dirt, and potential hazards.



Industrial & construction:
PP coveralls are used in industrial settings to provide additional protection against dirt, dust, and chemicals.



Food Processing:
In food processing and preparation areas, PP coveralls help maintain hygiene standards by preventing the spread of contaminants from clothing.



Cleanrooms:
In cleanroom environments, such as pharmaceutical manufacturing or electronics production, PP coveralls are worn to prevent the introduction of particles and contaminants.



Healthcare:
PP coveralls can be used in healthcare settings for tasks that require minimal barrier protection.

SKUs:

COLOUR: WHITE


MEDIUM: 7105WM

LARGE: 7105WL

EXTRA LARGE: 7105WXL




Zipper closure & Storm flap over



Elasticated wrists for optimized fit



Elasticated ankle for optimized fit



POLYPROPYLENE (NON-WOVEN MATERIAL)	PERFECT FIT & PERFORMANCE	ZIPPER CLOSURE	LIGHT-WEIGHT	WATER RESISTANT	COST-EFFECTIVE SOLUTION	ONE-TIME USE & EASY DISPOSAL	BREATHABLE



DTS PROTECT™
**HEARING
PROTECTION**

EAR DEFENDERS



Ear defenders, also known as earmuffs or hearing protection earmuffs, are devices designed to protect the wearer's ears from excessive noise exposure. The ear cups contain sound-absorbing material and are designed to cover the ears entirely, forming a seal to block out or reduce the intensity of loud sounds.

DTS Protect™ are used in variety of sectors to prevent hearing damage and reduce the risk of noise-induced hearing loss: construction sites, industrial settings, airports, mining operations, music concerts and festivals.

DTS Protect™ ear defenders are padded with soft materials and have adjustable headbands to ensure a comfortable fit for extended wear. This is especially important for individuals who need to wear them for long periods.



NOISE CONTROL:
27.6 dB



CONFORMS
EN352-1:2002



ADJUSTABLE
HEADBAND



COMFORTABLE
TO WEAR



HIGH QUALITY
MATERIALS



ERGONOMIC
CUPS



COLOUR: RED
SKU: 7231R



COLOUR: YELLOW
SKU: 7231Y



COLOUR: GREEN
SKU: 7231G

EAR PLUGS

Reusable metal detectable earplugs provide with a great level of noise protection for low-noise environments. These earplugs have dirt-repellent surface to help prevent a build-up of particles and they're easy to wash in soap and water at the end of the day.



METAL DETECTABLE
Chord & ear plug



EN352-2:2002
Protection against excessive noise



INDIVIDUALLY PACKED



COMFORTABLE TO WEAR



DUST RESISTANT
Dirt-repellent surface



COLOUR: BLUE (XMAS TREE SHAPE)
LEVEL OF NOISE CONTROL: 27.6 DB
SKU: 7230X



COLOUR: BLUE (CLASSIC SHAPE)
LEVEL OF NOISE CONTROL: 37 DB
SKU: 7230S



DTS PROTECT™

RESPIRATOR PROTECTION

1000 SERIES & 2000 SERIES HALF MASK



EN 140:

Respiratory protective devices. Half masks and quarter masks. Requirements, testing, marking.

EN 148-1:

Respiratory protective devices — Threads for facepieces — Part 1: Standard thread connection.

NEW



INDIVIDUALLY PACKED




VALVE PROTECTION FROM HEAT AND DUST



REUSABLE



SOFT SILICONE RUBBER MASK BODY



DURABLE MASK



COMFORTABLE TO WEAR



HIGH QUALITY MATERIALS

MODELS

1000 Series – with 1 exhalation valve & 2 inhalation valves

- 1000 Half Mask
- 1000 Half Mask Variation – bayonet connector present



1000 HALF MASK



1000 VARIATION



1000 W/ FILTER

2000 Series – with 1 exhalation valve & 2 inhalation valves

- 2000 Half Mask
- 2000 Half Mask Variation – bayonet connector present



2000 HALF MASK



2000 VARIATION



2000 W/ FILTER

FEATURES AND BENEFITS

- Soft and very durable silicone rubber mask body.
- The half mask is available in two sizes, S/M and M/L.
- Exhalation Valve provides easier breathing while reducing heat and moisture build-up.
- Shielded exhalation valve system to protect valve from heat and dust.
- Deep nose bridge and face seal provide a comfortable, secure fit.
- Elasticated, easily adjustable head harness.
- Fast thread filter connection and the variation is approved to EN148-1 standard.
- Reusable — Can be disassembled, cleaned and reused (just dispose of the cartridges/filters when used to capacity).
- Maintenance and cleaning are made simple with very few replacement parts.

PACKAGING

- Individually sealed products to ensure hygiene and excellence in delivery.
- Private Label Service is available.

CERTIFICATIONS

- EN 140:1998.
- EN148-1 standard.



DTS PROTECT™
FFP2/FFP3
HY MASKS

FFP2 HY8220 RESPIRATOR MASK

FFP2 respirator masks are BSI certified and protect against infectious respiratory diseases and bacteria.



NEW



INDIVIDUALLY
PACKED



CAPTURE OF FINE
METAL OR WOOD DUSTS



SINGLE USE



OVER THE
HEAD STRAPS



DURABLE
MASK



COMFORTABLE
& LIGHTWEAR



HIGH QUALITY
MATERIALS

MODELS



FEATURES AND BENEFITS

- Over the Head Straps
- Lightweight and comfortable.
- Can be worn comfortably for long durations.
- Latex-free head strap for maximum protection.
- Continuous loop design can allow to hang the mask around the neck when not in use
- P.P. inner/outer layers provide smooth lining and comfortable feel.
- Firm seal thanks to the adjustable nose bridge.
- No staple used.
- Individually packed and sealed for hygiene and carrying convenience.

EFFICIENCY

- FILTERS UP TO 95% OF AIRBORNE PARTICLES. Capture of fine metal or wood dusts, quartz dust, pollens and liquid mists.

QUALITY STANDARDS

- Conforms to EN149:2001+A1:2009
- Additional factory certifications:
- CE 79995, CE 690991, ISO 9001.
- CE Marked 2797.
- BSI Certified.

Packaging: box of 20 masks | Single use





FFP3 HY9330 RESPIRATOR MASK

FFP3 unvalved respirator masks are BSI certified and protect against infectious respiratory diseases and bacteria.

Part of NHS Central Body Supply Chain.



NEW



INDIVIDUALLY
PACKED



CAPTURE OF FINE
METAL OR WOOD DUSTS



SINGLE USE



OVER THE
HEAD STRAPS



SUITABLE FOR
ENVIRONMENTS WHERE
METAL IS NOT ALLOWED



COMFORTABLE
& LIGHTWEAR



HIGH QUALITY
MATERIALS

MODELS



FEATURES AND BENEFITS

- Over the Head Straps
- Lightweight and comfortable.
- Suitable for those environments where metal is not allowed.
- P.P. inner/outer layers provide smooth lining and comfortable feel.
- Continuous loop design can allow to hang the mask around the neck when not in use.
- Latex-free head straps.
- Individually PACKED & sealed for hygiene and carrying convenience.

EFFICIENCY

- FILTERS UP TO 99% OF AIRBORNE PARTICLES. Capture of fine metal or wood dusts, quartz dust, pollens and liquid mists.

QUALITY STANDARDS

- Conforms to EN149:2001+A1:2009
- Additional factory certifications:
- CE 79995, CE 690991, ISO 9001.
- CE Marked 2797.
- BSI Certified.

Packaging: box of 20 masks | Single use



FFP3 HY9332 RESPIRATOR MASK

FFP3 valved respirator masks are BSI certified and protect against infectious respiratory diseases and bacteria.



NEW



INDIVIDUALLY
PACKED



CAPTURE OF FINE
METAL OR WOOD DUSTS



SINGLE USE



OVER THE
HEAD STRAPS



INCLUDES
EXHALATION VALVE



COMFORTABLE
& LIGHTWEAR



HIGH QUALITY
MATERIALS

MODELS



FEATURES AND BENEFITS

- Over the head straps, stays secure to the face
- Lightweight and comfortable.
- Protects against infectious respiratory diseases and bacteria.
- Includes exhalation valve to reduce heat and moisture.
- P.P. inner/outer layers provide smooth lining and comfortable feel.
- Continuous loop design can allow to hang the mask around the neck when not in use.
- Latex-free head straps.
- Individually packed and sealed for hygiene and carrying convenience.

EFFICIENCY

- FILTERS UP TO 99% OF AIRBORNE PARTICLES. Capture of fine metal or wood dusts, quartz dust, pollens and liquid mists.

QUALITY STANDARDS

- Conforms to EN 149:2001+A1:2009
- Additional factory certifications:
- CE 79995, CE 690991, ISO 9001.
- CE Marked 2797.
- BSI Certified.

Packaging: box of 10 masks | Single use



FFP3 HY9632 RESPIRATOR MASK

FFP3 valved respirator masks are BSI certified and protect against infectious respiratory diseases and bacteria.



NEW



INDIVIDUALLY
PACKED



CAPTURE OF FINE
METAL OR WOOD DUSTS



SINGLE USE



OVER THE
HEAD STRAPS



INCLUDES
EXHALATION VALVE



COMFORTABLE
& LIGHTWEAR



HIGH QUALITY
MATERIALS

MODELS



FEATURES AND BENEFITS

- No exposure of metal parts.
- Over the head straps, stays secure to the face.
- Latex-free adjustable head straps to fit comfortably on all faces.
- Lightweight and comfortable.
- Protects against infectious respiratory diseases and bacteria.
- Includes exhalation valve to reduce heat and moisture.
- P.P. inner/outer layers provide smooth lining and comfortable feel.
- Moulded cone-shape design.
- Individually packed and sealed for hygiene and carrying convenience.

EFFICIENCY

- FILTERS UP TO 99% OF AIRBORNE PARTICLES. Capture of fine metal or wood dusts, quartz dust, pollens and liquid mists.

QUALITY STANDARDS

- Conforms to EN 149:2001+A1:2009
- Additional factory certifications:
- CE 79995, CE 690991, ISO 9001.
- CE Marked 2797.
- BSI Certified.



Packaging: box of 10 masks | Single use

FFP3 HY9630 RESPIRATOR MASK

FFP3 valved respirator masks are BSI certified and protect against infectious respiratory diseases and bacteria.



NEW



INDIVIDUALLY
PACKED



CAPTURE OF FINE
METAL OR WOOD DUSTS



SINGLE USE



OVER THE
HEAD STRAPS



INCLUDES
EXHALATION VALVE



COMFORTABLE
& LIGHTWEAR



HIGH QUALITY
MATERIALS

MODELS



FEATURES AND BENEFITS

- No exposure of metal parts.
- Over the head straps, stays secure to the face.
- Latex-free adjustable head straps to fit comfortably on all faces.
- Lightweight and comfortable.
- Protects against infectious respiratory diseases and bacteria.
- Includes exhalation valve to reduce heat and moisture.
- P.P. inner/outer layers provide smooth lining and comfortable feel.
- Moulded cone-shape design.
- Individually packed and sealed for hygiene and carrying convenience.

EFFICIENCY

- FILTERS UP TO 99% OF AIRBORNE PARTICLES. Capture of fine metal or wood dusts, quartz dust, pollens and liquid mists.

QUALITY STANDARDS

- Conforms to EN 149:2001+A1:2009
- Additional factory certifications:
- CE 79995, CE 690991, ISO 9001.
- CE Marked 2797.
- BSI Certified.

Packaging: box of 10 masks | Single use





DTS PROTECT™
WORKWEAR



HI-VIZ SAFETY VESTS

DTS Protect High Visibility Safety vests improve the visibility of workers and protect them in hazardous environments.

NEW

CONFORMS TO

**EN20471:
2013 LEVEL 2**

0.13M2 OF REFLECTIVE TAPE
0.5M2 OF FLUORESCENT MATERIAL



WASHABLE
UP TO X25 TIMES



HIGH VISIBILITY
380R REFLECTIVE



VELCRO
FASTENED FRONT



100%
POLYESTER



COMFORTABLE
TO WEAR




COST-EFFECTIVE
SOLUTION



LIGHT-WEIGHT



BRITISH STANDARD



EN ISO 20471:
2013

M-4XL SIZES

COLOUR: YELLOW
SKUs:

- MEDIUM: 7025YM
- LARGE: 7025YL
- EXTRA LARGE: 7025YXL
- 2 EXTRA LARGE: 7025YXXL
- 3 EXTRA LARGE: 7025YXXXL
- 4 EXTRA LARGE: 7025Y4XL



HI-VIZ SAFETY VESTS

DTS Protect High Visibility Safety vests improve the visibility of workers and protect them in hazardous environments.

NEW

CONFORMS TO

**EN20471:
2013 LEVEL 2**

0.13M2 OF REFLECTIVE TAPE
0.5M2 OF FLUORESCENT MATERIAL



WASHABLE
UP TO X25 TIMES



HIGH VISIBILITY
380R REFLECTIVE



VELCRO
FASTENED FRONT



100%
POLYESTER




COMFORTABLE
TO WEAR



COST-EFFECTIVE
SOLUTION



LIGHT-WEIGHT



BRITISH STANDARD



COLOUR: ORANGE

SKUs:

MEDIUM: 70250M

LARGE: 70250L

EXTRA LARGE: 70250XL

2 EXTRA LARGE: 70250XXL

3 EXTRA LARGE: 70250XXXL

4 EXTRA LARGE: 702504XL






DTS PROTECT™
DISPOSABLES

DISPOSABLE MOB CAPS

Mob caps are used in various industries and settings for hygiene, safety, and contamination control purposes. They are made from lightweight, non-woven materials and are designed to cover the hair and scalp, preventing hair and particles from falling onto surfaces, products, or food.



CLASSIC MOB CAPS



INCREASED THICKNESS

12gsm (greater than an industry standard 10gsm)



DOUBLE ELASTIC

Enhanced elasticity, grip to head and strength



BREATHABLE



COMFORTABLE TO WEAR



ONE SIZE FITS ALL



SKU: 7206
COLOUR: BLUE



SKU: 7205
COLOUR: GREEN



SKU: 7201
COLOUR: WHITE



SKU: 7204
COLOUR: YELLOW



SKU: 7203
COLOUR: BLACK



SKU: 7202
COLOUR: RED


METAL DETECTABLE

Metal detectable mob caps have an aluminium ultra-detectable strip which gives an elevated Fe signal resulting in detection in most food industry applications.



METAL DETECTABLE

With metal strip for ultra detectability



INCREASED THICKNESS

12gsm (greater than an industry standard 10gsm)



DOUBLE ELASTIC

Enhanced elasticity, grip to head and strength



BREATHABLE



COMFORTABLE TO WEAR



ONE SIZE FITS ALL



SKU: 7216
COLOUR: BLUE



SKU: 7215
COLOUR: GREEN



SKU: 7211
COLOUR: WHITE



SKU: 7212
COLOUR: RED



OVERSHOES

Overshoes are used as protection against water, mud or dust. They are waterproof and used as a prevention of slips and electric shocks.

These overshoes are made from lightweight, non-woven materials and are designed to be worn over shoes or boots and are used in:



Healthcare and Medical Settings:

In hospitals, clinics, dental offices, and other healthcare facilities to prevent the spread of germs, contaminants, and potentially harmful substances from being tracked around the premises. They are commonly used in areas such as operating rooms, sterile environments, and isolation rooms.



Food Service and Hospitality:

In restaurants, food processing facilities, catering services, and other food-related businesses to prevent contaminants from outdoor footwear from entering food preparation areas. This helps maintain a clean and hygienic environment.



Cleanrooms & laboratories:

In industries such as pharmaceuticals, electronics manufacturing, and research laboratories to prevent the introduction of particles, dirt, and microbes that could compromise product quality or research outcomes.




WATERPROOF



DUST RESISTANT



ENHANCED SLIP RESISTANCE



INCREASED THICKNESS



ONE SIZE FITS ALL



DURABLE



CPE OVERSHOES
SKU: 7220B
COLOUR: BLUE



CPE OVERSHOES
SKU: 7220R
COLOUR: RED



PP OVERSHOES
SKU: 7222B
COLOUR: BLUE



DELUX OVERSHOES (CPE + PP)
SKU: 7223BW
COLOUR: BLUE & WHITE

Oversleeves



Disposable oversleeves are used to protect the arms/sleeves without having to wear full garments. Oversleeves are widely used in laboratory, pharmaceutical, food processing, forensic science and medical environments.



Healthcare and Medical Settings:

In hospitals, clinics, and healthcare facilities, disposable oversleeves are often worn by healthcare workers and visitors to prevent the spread of germs, contaminants, and bodily fluids. They provide an extra layer of protection for arms and clothing.



Food Service and Hospitality:

In restaurants, cafeterias, and food processing facilities, disposable oversleeves are used by food handlers and kitchen staff to prevent the spread of contaminants and maintain hygiene standards. They help protect the arms and clothing from contact with food.



Cleanrooms & laboratories:

In industries such as pharmaceuticals, electronics manufacturing, and research laboratories, where maintaining a controlled and sterile atmosphere is important, disposable oversleeves are worn by personnel to prevent the introduction of particles and contaminants into clean areas.



ELASTICATED ENDS FOR COMFORT



EN 1186: FOOD MIGRATION



ONE SIZE FITS ALL



WATERPROOF



DUST RESISTANT



SINGLE USE



COST-EFFECTIVE SOLUTION



OVERSLEEVES
SKU: 7227BE
COLOUR: BLUE



OVERSLEEVEES
SKU: 7227YL
COLOUR: YELLOW



OVERSLEEVES
SKU: 7227GR
COLOUR: GREEN



OVERSLEEVES
SKU: 7227RD
COLOUR: RED



BEARD SNOODS

Beard Covers offer protection from facial hair contamination, ideal for use within the healthcare and food production / catering industries.

DTS Protect™ beard snoods (masks) are used to provide protection, hygiene, and safety, especially for individuals with facial hair. They are designed to cover the lower part of the face, including the beard and neck, while also offering certain benefits for those who need to wear respiratory protective equipment.



Healthcare and Medical Settings:

Healthcare workers with facial hair may use beard masks to ensure a proper seal when wearing respiratory protective equipment like N95 respirators or surgical masks. These masks help prevent the penetration of airborne particles and contaminants, ensuring the effectiveness of the respiratory protection.

Food Service and Hospitality:

Staff with facial hair who are involved in food preparation may use beard masks to prevent hair from falling into the food. This helps maintain hygiene and food safety standards.

Cleanrooms & laboratories:

Staff with facial hair who need to wear protective equipment may use beard masks or snoods to maintain a clean and contamination-free atmosphere.



BREATHABLE



COMFORTABLE TO WEAR



ELASTICATED ENDS FOR COMFORT



EN 1186: FOOD MIGRATION



COST-EFFECTIVE SOLUTION



SKU: 7228W
COLOUR: WHITE



SKU: 7228BE
COLOUR: BLUE

VISITOR COATS

Disposable visitor coats protect clothes from splashes and spillages and are great for visitors or emergencies.

DTS Protect™ disposable coats provide temporary protective solution for visitors, staff, or individuals who need to enter controlled or sensitive environments. These disposable garments help prevent the spread of contaminants, maintain cleanliness, and ensure hygiene standards and are used in healthcare, food production and cleanroom environments.



COLOUR: WHITE

SMALL: VISC-DTS-W/S
MEDIUM: VISC-DTS-W/M
LARGE: VISC-DTS-W/L
EXTRA LARGE: VISC-DTS-W/XL
2 EXTRA LARGE: VISC-DTS-W/2XL



COLOUR: BLUE

SMALL: VISC-DTS-B/S
MEDIUM: VISC-DTS-B/M
LARGE: VISC-DTS-B/L
EXTRA LARGE: VISC-DTS-B/XL
2 EXTRA LARGE: VISC-DTS-B/2XL

SURGICAL MASKS

Disposable surgical masks provides non-sterile protection from transfer of microorganism, body fluids and particulate material. They act as a barrier against respiratory droplets and aerosols, reducing the risk of the spread of infectious agents.

DTS Protect™ Type IIR masks are used primarily in healthcare and medical settings, but also used in food production sector, cleanrooms, laboratories, and provide protection against the transmission of infectious agents, including bacteria and viruses.



Healthcare and Medical Settings:

Disposable Type IIR masks are commonly worn by healthcare professionals, including doctors, nurses, and support staff, in hospital settings. They are used during medical procedures, surgeries, patient care, and other situations where there is a risk of exposure to bodily fluids or respiratory secretions.

Food Service and Hospitality:

Workers involved in food handling, preparation, cooking, and packaging wear disposable masks to prevent respiratory droplets, hair, or particles from contaminating the food products. This is especially important to ensure food safety and hygiene.

Cleanrooms & laboratories:

In research labs and facilities where working with biological samples or potentially infectious materials is common, disposable Type IIR masks can provide an additional layer of protection.



EXCELLENT
FILTRATION >98%



CONFORMS
BS EN 14683:2019



BREATHABLE



SPLASH
RESISTANT



HYPOALLERGENIC



COMFORTABLE
TO WEAR



SKU: 7224BE
COLOUR: BLUE



SKU: 7224BL
COLOUR: BLACK



SKU: 7224W
COLOUR: WHITE

DTS

PROTECT



PROFESSIONAL PERSONAL
PROTECTION & WORKWEAR

HEAD OFFICE

info@dtstrading.com
43-45 St John's Street,
London EC1M 4LX